



FARMIVA CROP SCIENCE PVT. LTD.

D.No. 4-10-13/9, Plot No. 3C, Block No.2, Auto Nagar,
Hayath Nagar, Rangareddy Dist. 500070- Telangana.

For Consumer Complaints / Feed back : Customer Care Manager
available at above mentioned address or Call
No.: 6309401718 E-mail: farmivacrop@gmail.com
उपरोक्त विवरणों-ग्राहकों के लिए उपलब्ध है। फीडबैक के लिए या अपील के लिए हमें कॉल करें।
ने.: 6309401718 ई-मेल: farmivacrop@gmail.com

PRODUCT CATALOGUE

Farmiva Product Features

- Safe to Environment
- Safe to Natural Parasites, Predators, Pollinators & Honey Bees
- Safe to Spray Person on following guidelines
- Best fit in IPM & Sustainable Agriculture
- No Residue Problems
- No Chance of Resistance or Resurgence
- Recommended in Organic Farming
- Effective & Economical Solutions
- Improves Plant Health & Productivity
- Strong R & D back ground
- Chances for higher Market Price
- Eco Friendly



FITNESS

ABAMECTIN 1.9% EC (Insecticide/Acaricide)

Direction Of Use: Spray Equipment: 1. High volume knapsack sprayer with hollow cone nozzle, power operated sprayer machine may be used. 2. Limitations for Use: It should not be used in crops where it has not been recommended it should not be used in combination with any insecticides or plant growth regulators. **Precautions:** 1. Avoid inhalation, skin & skin contact. 2. Do not use bare hands and always use rubber gloves & face masks while handling the insecticide. 3. Do not eat drink, chew or smoke while handling the insecticide. 4. Wash contaminated skin & clothes with soap and plenty of water. 5. Keep away from animal feed and foodstuff. 6. Spray in the direction of wind and wear full protective clothing while mixing the insecticide. **Antidote:** No specific antidote. Treat symptomatically **First Aid:** 1. If in eyes: Rinse eye with clean water for several minutes call a doctor for further treatment advice, if required. 2. In on skin or clothing: remove contaminated clothing and thoroughly wash the affected parts of the body with the soap and water. Call a doctor for further treatment advice if required. 3. If inhaled: remove the affected person to a well ventilated area or fresh air, if person is not breathing, give him artificial respiration. Call a doctor for further treatment advice, if required. 4. If ingestion : if person is conscious and alert, rinse mouth with water and give 1 to 2 glass of water to drink, never give anything by mouth to an unconscious person call the doctor do not induce vomiting until and unless desired by attending physician. **Symptoms:** Hypo activity, convulsions, lacrimation, mydriasis dilated pupils nasal discharge salivation & ataxia. **Recommendations:** Abamectin 1.9% EC is a broad spectrum insecticide and araricide, is effective for the control of two spotted spider mites in rose. Caution: 1. This product is toxic to fish, invertebrates, Birds and bees thus may be avoided near aquaculture and active period of foraging of Honey bees. 2. The product shall not be used on rose crop grown for other than ornamental purpose.



BUNGEE

Bifenthrin 10% EC w/w (Insecticide)

Direction of use: Take the measured quantity of Bifenthrin 10% E.C. , add to it a small quantity of water, mix thoroughly and then add the remaining quantity of water while stirring vigorously. Do not spray facing the wind. Please read enclosed leaflet before use . **Precautions :** Avoid inhalation & skin contact, Wash contaminated skin and clothes. Do not eat, drink or smoke during application. Destroy empty containers. Do not use near water bodies. **Antidote:** Treat Symptomatically and supportively. **Recom-mendations:** It is used for the control of Bollworm and whitefly on cotton crop.



FIRSTWATCH

Azoxystrobin 12.5% + Tebuconazole 12.5 SC
(Systemic Fungicide)

Direction Of Use Please read enclosed leaflet before use. **Precautions** 1. Keep away from foodstuff, empty foodstuff container and animal food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation of the spray mist. spray in the direction of the wind. 4. Wash thoroughly the contaminated cloths and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while using. Wear full protective clothing while mixing and using. **Antidote** Please read enclosed leaflet before use. **First Aid** Please read enclosed leaflet before use. **Symptoms** No specific antidote. treat symptomatically. **Recommendations** Azoxystrobin 12.5% + Tebuconazole 12.5% sc (suspension concentrate) is a combination fungicide product with protective, curativeradicative action. It controls powdery mildew & fruit rot diseases of chilli



HATTRIK

Azoxystrobin 16.7% + Tricyclazole 33.3% SC (Fungicide)

Direction for use : 1. Spray equipment: knapsack sprayer with hollow cone nozzle, battery operated power sprayer machine, tractor mounted sprayer may be used. 2. Limitation for use: it should not be used in crops where it has not been recommended. it should not be used in combination with insecticides or plant growth regulator. Precautions: Keep away from food stuffs empty food stuffs containers and animal feed. Avoid inhalation & contact with mouth, skin and eyes while handling the insecticide. Wash thoroughly the contaminated clothes and parts of the body after use of insecticide. Do not use bare hands and wear full protective clothing while handling the insecticide. Do not eat drink chew tobacco or smoke while handling the insecticide. Antidote: No specific antidote. treat symptomatically.

First Aid : 1. If ingestion: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor don't induce vomiting until and unless desired by attending physician. 2. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. 3. In case of skin contact: Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact: Rinse gently with plenty of water at least 15 minutes if pain, irritation, redness and photophobia persist, consult eye specialist.

Recommendations: This fungicidal combination is used for controlling disease complex in Rice which contains azoxystrobin 16.7 % and tricyclazole 33.30% and remaining adjuvants.

Caution : This product is toxic to aquatic organism hence should not be used near water bodies, aquaculture/pisciculture area.



HOTSTER

Azoxystrobin 18.2% + Difenoconazole 11.4% SC (Systemic Fungicide)


Direction of Use : Weather condition- Don't spray during windy and rainy weather; Soil- spray when there is sufficient moisture in soil; Crops stage, application technique & timing, equipment, Nozzle type, instruction for mixing & frequency including number of sprays- Measure out required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with through agitation for total coverage of crop. Give 1-2 sprays (depending on disease pressure, repeat the spray) with knapsack or any other suitable sprayer having hollow cone or any other suitable nozzle at the time when crops are infested with above mentioned diseases; Re-entry period- Do not enter the field until spray droplets are dried. Dangerous to re-use empty containers. The used packages shall not be left outside to prevent their reuse and shall be broken and buried away from habitation. **Dosage:-** Pre harvesting **Period:-** Re-Entry: **Antidote:** No specific antidote is known, apply symptomatic therapy. **First Aid :** Skin contact: Remove contaminated clothing and thoroughly wash the affected parts of body with water by soap and water. Inhalation: Remove the affected person from the danger zone to well-ventilated room or to fresh air and protect from undercooling. In case of suspected poisoning: Seek medical advice immediately. Eye Contact: Immediately irrigate with eye wash solution or clean water, holding the eyelids apart, for atleast 15 minutes. Obtain immediate medical attention. If swallowed: Repeatedly administer medical charcoal in plenty of water. Seek medical advice if a large volume of concentrate was ingested. Note: Never give anything by mouth to an unconscious patient and do not induce vomiting. **Recommendation :** Azoxystrobin 18.2% w/w + Difenoconazole 11.4% w/w SC is a broad spectrum fungicide having systemic activity against major pathogens. It is recommended for the control of Anthracnose and powdery mildew of chilli; Early blight and Late blight of Tomato; blast & sheath blight of Paddy; blight & downy mildew of Maize; Rust & Powdery Mildew of Wheat.



INITIATE

Azoxystrobin 2.5% + ThiophanateMethyl 11.25% + Thiamethoxam 25% FS (Fungicide)

Direction Of Use Please read enclosed leaflet before use. Precautions Wash contaminated clothes and parts of the body after application. Wear full protective clothing during application. The applicant should use chemical resistant gloves and goggles face mask while dealing/doing seed dressing treatment. Antidote No specific antidote is known. Treat symptomatically. **First Aid** 1. If ingestion: If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician. 2. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth breathing. Consult a physician. 3. In case of skin contact: Take off immediately all contaminated clothing. Wash with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. 4. In case of eye contact : Rinse gently with plenty of water at least 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist. Symptoms Nausea, vomiting, diarrhea, abdominal pain, tremor, irritation to bronchi and lung, toxic convulsion may occur. **Recommendations** Azoxystrobin 2.5% + Thiophanate methyl 11.25% + Thiamethoxam 25% FS is a mixture of insecticide & fungicide, used as seed treatment for the effective control of diseases like fusarium root rot, phytophthora root rot, rhizoctonia seedling blight, pythium seedling blight and insect as shoot fly, white grub and termites of soybean.



STRATEGY

Chlorpyrifos 50% EC (Insecticide)

Direction of use: Please read enclosed Leaflet before use. **Precaution:** 1. Keep away from foodstuffs, empty food stuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote:** 1. Atropinize the patient immediately and maintain full atropinization by repeated doses of 2 to 4 mg. of atropine sulphate intravenously at 5 to 10 minutes interval. As much as 25 to 50 mg. of atropine may be required in a day. The need for further atropine administration is guided by the continuance of symptoms. Extent of salivation is a useful criterion for dose adjustment. 2. Dissolve 1-2 gm of 2 PAM in 10ml distilled water and inject intravenously very slowly for 10-15 minutes.

Recommendations: It is recommended to control termites in buildings, during construction and in existing buildings, control of stem borer & leaf roller in rice and bollworm in cotton.



ROUND-505

CHLORPYRIPHOS 50% + CYPERMETHRIN 5% EC (INSECTICIDE)

Direction for use: Please read the entire Label and leaflet before use. **Dosage :** Pre Harvesting; Re-Entry:- **Precautions :** 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying.

Antidote : 1. Atropinize the patient immediately and maintain full atropinization by repeated doses of 2 to 4mg of atropine sulphate intravenously at 5 to 10 minutes interval. As much as 25 to 50 mg of atropine may be required in a day. The need for further atropine administration is guided by the continuance of symptoms. Extent of salivation is useful criterion for dose adjustment. 2. Dissolve 1-2 gms of 2 PAM in 10 ml distilled water and intravenously very slowly for 10-15 minutes. **First Aid:** Please see the enclosed Leaflet.

Symptoms of poisoning: Please see the enclosed Leaflet.

Recommendation : Recommended to control Aphid, Jassid, Thrips, Whitefly, American bollworm, Spotted bollworm, Pink bollworm and Spodoptera litura of cotton and Leaf folder of paddy.



ENGEO

ETHION 40% + CYPERMETHRIN 5% EC (Insecticide)

Direction Of Use : Please read enclosed leaflet before use. **Dosage: -** Pre Harvesting Period: - **Re-Entry: -** **Precautions** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2.. Avoid contact with mouth, eyes and skin. 3.. Avoid inhalation the spray mist. Spray in the direction of wind. 4 . Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote** 1. Atropinize the patient immediately and maintain full atropinization by repeated doses of 2 to 4 mg. of atropine sulphate intravenously at 5 to 10 minutes interval. As much as 25 to 50 mg. of atropine may be required in a day. The need for further atropine administration is guided by the continuance of symptoms. Extent of salivation is a useful criterion for dose adjustment. 2. Dissolve 1-2 gm of 2 PAM in 10 ml distilled water and inject intravenously very slowly for 10-15 minutes 3- Antihistamines may be given for allergic manifestation. **First Aid** 1. If swallowed, do not induce vomiting or give liquid orally. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air. **Symptoms** Nervousness, headache, dizziness, nausea, vomiting, allergic manifestation,, diarrhoea, convulsion, tightness in chest, muscular twitching, constricted pupils respiratory distress. excessive sweating lacrimation, salivation may occur. **Recommendations** Ethion 40% + Cypermethrin 5% w/w EC is used for the contro of American bollworm on Cotton crop; Mites, Thrips & Fruit borer in Chilli .



DEDIRON

Tembotrione 34.4 SC (Insecticide)

Direction of Use : Surfactant is an adjuvant for use with DEDIRON to get desired Results. Chemical Composition (Mero Stefes) Rapeseed Fatty acid ester's 81.44%, Ethoxy (7) Tridecanol and Solvent QS. Preparation of Stock Solution : 1. Take 25 liters of water in a bucket & mix 230 ml of DEDIRON with it properly. Now take 800 ml of DEDIRON Surfactant & Stir well in the bucket. 2. Mix 1 ltr of prepared solution for tank & complete the spray with 26 tanks in 2 acre. 3. Use Flood jet Nozzle.

Caution : Avoid Contact with Product. Wear Personal protective equipment while working with the product. Remove Soiled clothing immediately and clean thoroughly before using again. Wash hands thoroughly with soap and water immediately after work.



BUSTER

PARAQUAT DICHLORIDE 24% SL (Herbicide)

Direction of Use : Please read enclosed leaflet before use. Precautions: Avoid inhalation and skin contact. Wash contaminated skin & clothes. Destroy empty containers after use. Keep away from animal feeds and food stuff. Antidote: induce vomiting repeatedly and wash out stomach. Give 500ml of 30% suspension of sterilized bento or fullers each orally. Repeat after 2-4 hours. Treat symptomatically. First Aid: Please see the enclosed Leaflet. Symptoms of poisoning: Please see the enclosed Leaflet.

Recommendations : It is used control Imperata cylindrical, Setaria sp, Commelina benghalensis, Boerhavia hispida, paspa-lum conjugatum of tea and weeds of Potato, Cotton, Rubber, Wheat, Grapes & Aquatic weeds.



GLUPHUS

GLUFOSINATE AMMONIUM 13.5% SL (Herbicide)

Direction Of Use : Please read leaflet before use. **Precautions:** 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. Diazepam may be given to control convulsions. **First Aid :** 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the cloths and wash the contaminate skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air.

Symptoms: Dizziness, tremors, convulsions and loss of consciousness may occur.

Recommendations : It (solution liquid) is a non selective, post-emergence herbicide recommended for control of annual and perennial weeds infesting tea gardens and Echinochloa sp.



Premium EXTRA

Pretilachlor 50% E.C (Herbicide)

Direction of Use : Please read enclosed leaflet before use. **Dosage:-**Pre harvesting period:-**Re-Entry:-** Precaution: 1. Keep away from foodstuffs, empty food stuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote:** No antidote is known, Treat Symptomatically. **First Aid:** Please see the enclosed Leaflet. **Symptoms of poisoning:** Please see the enclosed Leaflet. **Recommendations:** Pretilachlor 50 % EC herbicide is recommended for its use to control grasses, sedges & broad leaved weeds like *echinochloa* spp., *cyperus iria*, *cyperus difformis*, *fimbristylis miliaceae*, *eclipta alba* *ludwigia parviflora*, *monochoria vaginalis*, *laptochloa chinensis* and *pannicum repens* in transplanted rice.



RAMPART

Emamectin Benzoate 5% SG (Insecticide)

Direction of Use : Apply the insecticides when the incidence of larvae is first observed and repeat applications as necessary. Apply the insecticide in sufficient quantity of water to ensure through coverage of the foliage. Emamectin benzoate 5% SG is toxic to Aquaculture and Honey bees. **Precautions :** Do not use cooking utensils for preparing spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eye and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contaminated of air and water bodies with the insecticides. Also wash the contaminated clothes. **Antidote :** No specific antidote is known, Treat symptomatically. **First Aid :** Remove the affected person to a well ventilated area or fresh air and protect him from undercooling. Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. Rines eyes with clean water of several minutes. If ingested, give the patient one or two glasses of water, if able to swallow. Do not induce vomiting. Get the attention of the medical doctor immediately.




MESTIGO

Indoxacarb 14.5% SC (Insecticide)

Direction Of Use : Please read enclosed leaflet before use. **Precautions:** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote:** No specific antidote is known., Treat symptomatically. **First Aid:** Please see enclosed Leaflet.

Recommendations: It is a Broad Spectrum contact and stomach insecticide used for the control of insect pests of Cotton, Tomato, Chilli, Cabbage and Pigeonpea.



TINCON

TRIACONTANOL 0.01% EW (Plant Growth Stimulant)

Direction Of Use Please read enclosed leaflet before use. **Dosage:** - Pre Harvesting Period: - Re-Entry: - Precautions Avoid contact with skin, eyes and mouth. Wash the affected areas thoroughly before eating or smoking. Avoid contamination or environment and water. **Antidote** Treat symptomatically. **First Aid** In case of accidental ingestion, give a one or two glass of water. Do not induce vomiting. Contact doctor. **Skin:** In case of skin contact/toxicity, wash skin thoroughly with soap and water. Remove contaminated clothing and shoes. In case of splashes in eyes, hold open eyes and flush immediately with clean running water for at least 15 minutes. See a doctor if irritation persist.



GLEBA

GIBBERELIC ACID 0.001% L (Plant Growth Regulator)

Directions for use: Please read enclosed leaflet before use. **Precautions :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **First Aid :** Please read enclosed leaflet before use. **Symptoms :** Please read enclosed leaflet before use. **Recommendations :** It is recommended for use in paddy, Cotton, Sugarcane, Groundnut, Brinjal, Bhendi, Grapes etc. for better yields.



DIZENE

NOVALURON 5.25% + EMAMECTIN BENZOATE 0.9% W/W SC (Insecticide)

Direction Of Use : Take the measures quantity of insecticide novaluram 5.25%+ emamectin benzoate 0.9% w/w sc and add to it a small quantity of water. stir thoroughly using a stick or rod and then add remaining quantity of water. stir well to form final spray solution. **Time of application:** Spray to be initiated, when pests population reaches economic threshold level (etl). **Number of application:** 3 sprays are required at an interval of 10 days depending upon the pests infestation. **Application techniques:** Foliar application. **Instruction for mixing:** Thoroughly mix the recommended quantity of pesticide into the water volume recommended for unit area. **Crops stage for applications:** Vegetative stage and at the time of incidence at the pests above economic threshold level (eti) **Plant protection equipment:** Knapsack sprayer. **Nozzle type:** Hollow cone nozzle. **Dosage:** Please refer the above table. **Pre-harvest interval:** Please refer the above table. **Weather conditions:** Do not spray during winding conditions. **Soil:** light to heavy soil. **Precautions** 1. During spraying wear suitable respiratory equipment. 2. Wear protective clothing like suitable gloves, chemical resistant boots and safety goggle. 3. Spray only leeward direction to prevent drift on to the body. 4. Do not eat, drink, chew or smoke or handle food while spraying. 5. Wash contaminated skin and clothes after use. 6. Avoid contact with skin and eye. **Antidote:** Treat symptomatically and give supportive therapy. **First Aid:** In case of inhalation move victim to fresh air. Consult a doctor in the event of any complaints. If skin is contaminated remove affected clothing and wash all exposed skin soap and water, followed by warm water rinse. Consult a doctor in the event of any complaints. If eye are affected , wash off with plenty of water for 15 minutes. If pain persists, consult, an eye specialist. Wash thoroughly after handling. If swallowed do not induce vomiting wash out mouth with plenty of water. Never give anything by mouth to an unconscious person. Consult a doctor in the event of any complaints. **Symptoms:** Redness of eye, tear may occur. **Recommendations:** Novaluram 5.25%+ Emamectin benzoate 0.9% w/w SC is a suspension concentration containing Novaluram 5.25%(a.i) and Emamectin benzoate 0.9%(a.i) in the formulation. It is used for the control of diamond back moth (dbm) & tobacco caterpillar on Cabbage, gram pod bores & tobacco caterpillar in Chilli, gram pod bores & in redgram and stem borer in Rice..



CURBIT

Acetamiprid 20%SP (Insecticide)

Direction of Use : Please read enclosed leaflet before use. **Precautions :** 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while mixing and spraying. 6. Wear full protective clothing while mixing and spraying. 7. Do not spray against the wind. **Antidote :** 1. Atropinize the patient immediately and maintain full atropinization by repeated doses of 2 to 4 mg. of atropine sulphate intravenously at 5 to 10 minutes interval. As much as 25 to 50 mg. of atropine may be required in a day. The need for further atropine administration is guided by the cotinuanace of symptoms. Extent of salivation is a useful criterion for dose adjustment. 2. Dissolve 1-2 gm of 2 PAM in 10m1 distilled water and inject intravenously very slowly for 10-15 minutes. **First Aid :** Please read enclosed leaflet. **Symptoms :** Please read enclosed leaflet. **Recommendations :** Acetamiprid 20% SP is a systemic insecticide for the control of aphids, jassids and whiteflies in cotton crop, thrips in chilli, BPH in paddy.



SATORI SP

CARTAP HYDROCHLORIDE 75% SG (INSECTICIDE)

Direction Of Use Please read the enclosed leaflets before use. **Precautions** Use gloves, goggles, mask and protective clothing while handling. Apply only in the direction in wind. **Antidote** An intravenous injection of 100-200 mg of l-cysteine or an intramuscular injection of 20-60 mg of bal (dimrcaprol or 2,3-dimercapto propanol). **First Aid** If swallowed, induce vomiting. Wash contaminated skin and eyes with water. Carry the patient to fresh air. **Symptoms** Nausea, trembling of extremities and body, salivation, spasms, dyspnoea and mydriasis. **Recommendations** It is a water soluble granular insecticide used for the control of stem borers (yellow stem borer (scripophaga incertulus walker), and leaf folder (cnaphalocrocis medinalis guen) in rice crop.



RETAKE

DIAFENTHIURON 50% WP (Systemic & Contact Insecticide)

Direction Of Use : Measure our required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water as specified with thorough agitation for total coverage of crops with suitable sprayer. **Precautions** 1. Do not use cooking utensils for preparing sprays. 2. Use stick for stirring the spray solution. 3. Wear hand gloves to avoid contact with the skin. Also avoid inhalation and contact with eyes. 4. Wear protective clothing, mask, goggles, boots while spraying and do not expose yourself to spray drift. 5. Do not blow nozzles with mouth. 6. Do not eat, drink or smoke while handling or applying the product. 7. Do not store unused spray solution. 8. Clean sprayers, buckets and other utensils with water daily after use. 9. Wash hands with soap and plenty of water and change clothes after the work is over. Also wash the contaminated clothes. 10. Do not contaminate streams, ponds, waterways etc. by discharging leftover spray materials into them or by cleaning sprayers, contaminated buckets etc. in them. 11. Do not spray when bees are active. 12. In case of any sign of poisoning, immediately consult the doctor. **Antidote :** No specific antidote is known. Apply symptomatic therapy. **First Aid :** 1. Remove the affected person from the danger zone to well ventilated room or to fresh air and protect from under cooling. 2. IN CASE OF SUSPECTED POISONING : Immediately call a physician. 3. IN CASE OF SKIN CONTACT : Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and plenty of water. 4. IN CASE OF EYE CONTACT: Rinse eyes with clean water for several minutes. 5. IN CASE OF INFESTION : Repeatedly administer medicinal charcoal in a large quantity of water. **Recommendations:** Diafenthiuron 50% WP is a Broad Spectrum Insecticide. It is recommended for its use to control Whiteflies, Aphids, Thrips, Jassids in Cotton and Diamond Back Moth (DBM) in Cabbage, mites in chilli, white fly in brinjal and thrips capsule borer in cardamom crops, mites in citrus, Whitefly, Red spider mite in Watermelon and Tomato and Whitefly, Red spider mite & Jassid in Okra.



LUCK GOLD

Acephate 50% + Imidacloprid 1.8% SP

Direction Of Use : Please read enclosed leaflet before use. Precautions : Do not mix with bare hands. use a wooden stick for stirring the spray solution. do not eat, drink or smoke during application. avoid contact with eyes and skin. destroy empty containers after use. **Antidote:** 1. Atropinize the patient immediately & maintain full atropinization using repeated doses of 2-5 mg at 5-10 minutes interval. until fully atropinized. 2. administer 1-2 g of 2-pyridine-2-aldoxime-n-methyl-o-iodine (2pam) to be dissolved in 10 c.c. of distilled water & inject intravenously (very slow) taking 10-15 minutes. **First Aid:** Remove the patient to fresh air. remove contaminated clothing. if skin is contaminated wash well with soap and water. if eyes are contaminated flush with copious amount of water., if ingested victim should be induced to vomit by tickling the back of throat. in emergency take the patient to the nearest hospital. Symptoms: Headache, giddiness, nausea, vomiting, blurred vision, sweating, excessive lacrimation and salivation.

Recommendations : This Insecticide is used for the control of various sucking pest and bollworms in Cotton; BPH, GLH, Stem borer & Leaf folder in Paddy. * **Caution :** It is toxic to honey bees, spray application should be avoided during the foraging period of bees



PREMIUM


Fipronil 40% + Imidacloprid 40% WG (INSECTICIDE)

Direction Of Use : Please read enclosed leaflet before use.

Dosage : Pre Harvesting Period : Re-Entry : **Precautions :** "The above mentioned symptoms must not be confused with organophosphorus compounds. There may be delayed neurological effects, including brain oedema. Antidote : specific antidote not known. Treat symptomatically.

First Aid : Please read enclosed leaflet before use. Symptoms Convulsions, tremors, anxiety, restlessness.

Recommended : Fipronil 40% + Imidacloprid 40% WG is recommended for control of white grubs in Sugarcane and Groundnut.



ACKER

Acephate 75% SP (Soluble Powder Insecticide)

Acephate 75% SP

Direction Of Use: Please read enclosed leaflet before use. Precautions: 1. Keep away from foodstuffs, empty foodstuff containers and animals feed. 2.. Avoid contact with mouth, eyes and skin. 3.. Avoid inhalation the spray mist. Spray in the direction of wind. 4 . Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** 1. Atropinize the patient immediately and maintain full atropinization by repeated doses of 2 to 4 mg. of atropine sulphate intravenously at 5 to 10 minutes interval. As much as 25 to 50 mg. of atropine may be required in a day. The need for further atropine administration is guided by the continuance of symptoms. Extent of salivation is a useful criterion for dose adjustment. 2. Dissolve 1-2 gm of 2 PAM in 10 ml distilled water and inject intravenously very slowly for 10-15 minutes. **First Aid :** Please see enclosed Leaflet.

Symptoms : Please see enclosed Leaflet. **Recommendations :** It is recommended to control jassid and bollworms of cotton, aphid of safflower. Stem borer, Leaf folder, plant hopper and green leaf hopper of Rice. * **Caution :-** It is toxic to honey bees, spray application should be avoided during the foraging period of bees.



HITTER

PYRITHIOBAC - SODIUM 10% EC (Herbicide)

Directions Of Use: Please read enclosed leaflet before use. **Precautions:** Avoid inhalation, contact with skin, eyes and mouth. Avoid contamination of environment and water. Avoid smoking tobacco chewing or eating while spraying. Use protective clothing like rubber gloves, face mask, goggles, boots, apron, etc. **Antidote:** No specific antidote is known. Treat symptomatically. **First Aid:** Wash contaminated skin and clothes and flush eyes with plenty of water. If swallowed, call a doctor or get medical attention, Do not induce vomiting unless call by a doctor. Drink promptly a large quantity of milk, egg white, gelatin solution of water. Symptoms: Eye and skin irritation may occur, on contact, redness in eyes, tearing may occur, nasal irritation, respiratory distress, tremors and in coordination may also occur. **Recommendations:** Pyrithiobac-Sodium EC 10 % is a selective herbicide for use in Cotton for controlling broad leaf weeds. Apply as per recommendations. **Caution:** Not to be used on Crops other than specified on this Label/Leaflet.



FARMIVA
CROP SCIENCE PVT. LTD